CATALOGUE 2023

CERAM NEGAR TILE

www.ceramnegartile.com

WALL & FLOOR COLLECTION

ABOUT

CERAM NEGAR
TILE

Ceram Negar Tile, has been operated in 2017 in Kaveh industrial city, with an annual capacity of 5 milion square meters, production of Wall & Floor tile with the most advanced technology in Eroupe.

This innovative company was established with the aim of promoting the industrial capabilities and self-sufficiency of the country, entrepreneurship development, job creation and relying on the initiative of Iranian and international experts to offer a variety of ceramic tile products and tries with its continuous and colorful presence in Modern design and construction in the domestic and foreign markets to bring the words of construction and industry to a different color.

We are proud to inform you that we have some of the biggest clients in the Middle East and currently exporting to more than 13 countries.

Size Collection :

Floor Tile

60 x 120 cm
60 x 60 cm

Wall Tile

30 x 60 cm
30 x 90 cm
40 x 120 cm



Floor Tile
Collection

60 x 120

ANGELO WHITE

60x120 Cm

Silky Matt

ANGELO WHITE

Silky Matt

Angelo White Collection Tile 60x120 Cm

Anjelo White - F1

Anjelo White - F2

Anjelo White - F3

Anjelo White - F4

Anjelo White - F5

Anjelo White - F6

Anjelo White - F7

Anjelo White - F8



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

DIAMOND WHITE

60x120 Cm

Silky Matt

Silky Matt

DIAMOND WHITE

Diamond White Collection Tile 60x120 Cm



Diamond A



Diamond B



Diamond C



Diamond D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

KIA GRAY

60x120 Cm

Silky Matt

Silky Matt

KIA GRAY

Kia Gray Collection Tile 60x120 Cm



Kia A



Kia B



Kia C



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

SEPANTA GRAY

60x120 Cm

Silky Matt

Silky Matt

SEPANTA GRAY

Sepanta Gray Collection Tile 60x120 Cm

Sepanta Face 1

Sepanta Face 2



Sepanta Face 3



Sepanta Face 4



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

Floor Tile Collection

60 x 60

BORDO GRAY DARK

60x60 Cm

Silky Matt



BORDO GRAY DARK

Silky Matt

Bordo Gray Collection Tile 60x120 Cm



Bordo Gray Dark - F1



Bordo Gray Dark - F2



Bordo Gray Dark - F3



Bordo Gray Dark - F4



Bordo Gray Dark - F5



Bordo Gray Dark - F6

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

CELARA GRAY

60x60 Cm

Glossy

CELARA GRAY

Glossy

Clara Gray Collection Tile 60x120 Cm

Celara A

Celara D

Celara E

Celara G

Celara I

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

DIAMOND WHITE

Silky Matt

DIAMOND WHITE

60x60 Cm

Silky Matt

Diamond A

Diamond B

Diamond C

Diamond D

Diamond E

Diamond F

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

CALCULATE WHITE

Silky Matt

CALCULATA WHITE

60x60 Cm

Silky Matt

Calcutta Face 1

Calcutta Face 2

Calcutta Face 3

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT



CAROL BEIGE

Glossy

CAROL BEIGE

60x60 Cm

Glossy

Carol A

Carol B

Carol D

Carol F

Carol G

Carol H

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

MARBEL WHITE

Glossy

MARBLE WHITE

60x60 Cm

Glossy

Marble White A

Marble White B

Marble White C

Marble White D

Marble White E

Marble White F

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

MILAN CREAM

Silky Matt

MILAN CREAM

60x60 Cm

Silky Matt



Milan Cream-Light - F1



Milan Cream-Light - F2



Milan Cream-Light - F3



Milan Cream-Light - F4



Milan Cream-Light - F5



Milan Cream-Light - F6

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

HARIR CREAM

Glossy

HARIR CREAM

60x60 Cm

Glossy



Harir Cream - F1



Harir Cream - F2



Harir Cream - F3



Harir Cream - F4



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FELORANC CREAM

Silky Matt

FELORANC CREAM

60x60 Cm

Silky Matt



Feloranc Cream A



Feloranc Cream B



Feloranc Cream C



Feloranc Cream D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY CREAM

Glossy

FENDY CREAM

60x60 Cm

Glossy



Fendy Cream A



Fendy Cream B



Fendy Cream C



Fendy Cream D



Fendy Cream F



Fendy Cream G



Fendy Cream H

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

MELIKA CREAM

Silky Matt

MELIKA CREAM

60x60 Cm

Silky Matt



Melika Face 1



Melika Face 2



Melika Face 3



Melika Face 4



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

ANNA CREAM

Glossy

ANNA CREAM

60x60 Cm

Glossy

Anna Cream A

Anna Cream B

Anna Cream C

Anna Cream D

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

VIRA GRAY

Silky Matt

VIRA GRAY

60x60 Cm

Silky Matt

Vira-F1-T2

Vira-F2-T2

Vira-F3-T2

Vira-F4-T2

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY GRAY

Glossy

FENDY GRAY

60x60 Cm

Glossy



Fendy Gray A



Fendy Gray B



Fendy Gray C



Fendy Gray D



Fendy Gray F



Fendy Gray G



Fendy Gray H

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

DENIZ CREAM

Silky Matt

DENIZ CREAM

60x60 Cm

Silky Matt



Deniz Cream A



Deniz Cream B



Deniz Cream C



Deniz Cream D



Deniz Cream E



Deniz Cream F

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

SASAN GRAY

Glossy

SASAN GRAY

60x60 Cm

Glossy

Sasan Gray A

Sasan Gray B

Sasan Gray C

Sasan Gray D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT



BRIGHTON GRAY

Glossy

BRIGHTON GRAY

60x60 Cm

Glossy



Brighton Gray - F1



Brighton Gray - F2



Brighton Gray - F3



Brighton Gray - F4



Brighton Gray - F5



Brighton Gray - F6



Brighton Gray - F7



Brighton Gray - F8

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

LUCAS GRAY

Glossy

LUCAS GRAY

60x60 Cm

Glossy

Lucas Gray - F1

Lucas Gray - F2

Lucas Gray - F3

Lucas Gray - F4



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

SEPANTA GRAY

Silky Matt

SEPANTA GRAY

60x60 Cm

Silky Matt



Sepanta Face 1



Sepanta Face 2



Sepanta Face 3



Sepanta Face 4

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

ARIS GRAY

Glossy

ARIS GRAY

60x60 Cm

Glossy

Aris A

Aris B

Aris C



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

MARSEI GRAY

Silky Matt

MARSEI GRAY

60x60 Cm

Silky Matt



Marsei A T-I



Marsei B T-I



Marsei C T-I



Marsei D T-I



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

MOSAIC LIGHT GRAY

Silky Matt

MOSAIC LIGHT GRAY

60x60 Cm

Silky Matt

Mosaic Light A

Mosaic Light B

Mosaic Light C

Mosaic Light D

Mosaic Light E

Mosaic Light F

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT



AKO GRAY

Glossy

AKO GRAY

60x60 Cm

Glossy



Ako Gray

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

Wall Tile
Collection

40 x 120

MELIKA CREAM

40x120 Cm

Silky Matt

Silky Matt

MELIKA CREAM

Melika Cream Collection Tile 40x120 Cm



Melika-F1

Melika-F2

Melika-F3



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

Silky Matt

VALENCIA CREAM

VALENCIA CREAM

40x120 Cm

Silky Matt



Valencia Cream Face 1



Valencia Cream Face 2

Valencia Cream Face 3

Valencia Cream Face 4



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

Silky Matt

MAXIM CREAM

MAXIM CREAM

40x120 Cm

Silky Matt



Maxim Cream-F1



Maxim Cream-F3



Maxim Cream-F4



Maxim Light Cream-F2



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

DIAMOND WHITE

Silky Matt

DIAMOND WHITE

40x120 Cm

Silky Matt

Diamond A

Diamond B

Diamond C

Diamond D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY GRAY

Silky Matt

FENDY GRAY

40x120 Cm

Silky Matt



Fendy Gray A



Fendy Gray B



Fendy Gray C



Fendy Gray D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY CREAM

Silky Matt

FENDY CREAM

40x120 Cm

Silky Matt



Fendy CREAM A

Fendy CREAM B

Fendy CREAM C

Fendy CREAM D



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

Silky Matt

CARLA CREAM

CARLA CREAM

40x120 Cm

Silky Matt



CARLA CREAM



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

SEPANTA GRAY

Silky Matt

SEPANTA GRAY

40x120 Cm

Silky Matt

Sepanta Face A

Sepanta Face B



Sepanta Face C

Sepanta Face D

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

Silky Matt

VERONA CREAM

VERONA CREAM

40x120 Cm

Silky Matt

Verona-F1

Verona-F2

Verona-F3

Verona-F4

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

Silky Matt

PARMA CREAM

PARMA CREAM

40x120 Cm

Silky Matt

Parma cream F1

Parma cream F2

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT

ANTIBACTERIAL

HEAT-RESISTANT

Wall Tile Collection

30 x 90

KARARA WHITE

30x90 Cm

Glossy

Karara White Collection Tile 30x90 Cm

Karara Structure (6 Faces)



Karara White (6 Faces)

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

MAXIM CREAM

30x90 Cm

Silky Matt

Maxim Cream Collection Tile 30x90 Cm



Maxim Structure



Maxim Cream



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

BONITO GRAY

30x90 Cm

Silky Matt

Bonito gray Collection Tile 30x90 Cm



Bonito Light Gray

Bonito Structure Decor

Bonito Dark Gray



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

DENIZ CREAM

30x90 Cm

Silky Matt

Deniz Cream Collection Tile 30x90 Cm

Deniz Cream Stripes Decor

Deniz Cream Structure



Deniz Cream (4 Faces)



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

DENIZ GRAY

30x90 Cm

Silky Matt

Deniz Gray Collection Tile 30x90 Cm

Deniz Gray Stripes Decor

Deniz Gray Structure



Deniz Gray (4 Faces)

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

CALCUTTA WHITE

30x90 Cm

Glossy

Calcutta White Collection Tile 30x90 Cm



Calcutta White Stripes Decor

Calcutta White Structure

Calcutta White (4 Faces)

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY CREAM

30x90 Cm

Glossy

Fendy Cream Collection Tile 30x90 Cm

Fendy Cream Stripes Decor

Fendy Cream Structure



Fendy Cream (4 Faces)

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

FENDY GRAY

30x90 Cm

Glossy

Fendy Gray Collection Tile 30x90 Cm

Fendy Gray Stripes Decor



Fendy Gray Structure

Fendy Light Gray (4 Faces)

Fendy Dark Gray (4 Faces)

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

Wall Tile Collection

30 x 60

VAKARA GRAY

30x60 Cm

Silky Matt

Vakara Gray Collection Tile 30x60 Cm



Vakara Decor A



Vakara Decor B



Vakara Gray (4 Faces)



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

AGHIGH WHITE

30x60 Cm

Glossy

Aghigh White Collection Tile 30x60 Cm



Aghigh Decor A



Aghigh Decor B

Aghigh White (4 Faces)



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

DELTA GRAY

30x60 Cm

Matt

Delta Gray Collection Tile 30x60 Cm



Delta Decor

Delta Dark

INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

ROMANCE CREAM

30x60 Cm

Matt

Romance Cream Collection Tile 30x60 Cm



Romance Light



Romance Decor

Romance Dark



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT



NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

ROMANCE CREAM

30x60 Cm

Silky Matt

Romance Cream Collection Tile 30x60 Cm



Romance Light



Romance Decor



Romance Dark



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

SAMANTA BEIGE

30x60 Cm

Glossy

Samanta Beige Collection Tile 30x60 Cm

Samanta Light Beige

Samanta Decor

Samanta Dark Beige



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

SAMANTA GRAY

30x60 Cm

Matt

Samanta Gray Collection Tile 30x60 Cm

Samanta Light Gray

Samanta Decor



Samanta Dark Gray



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

DANIELA CREAM

30x60 Cm

Silky Matt

Daniela Cream Collection Tile 30x60 Cm

Daniela Light

Daniela Decor

Daniela Dark



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

DANIELA GRAY

30x60 Cm

Silky Matt

Daniela Gray Collection Tile 30x60 Cm



Daniela Light



Daniela Decor

Daniela Dark



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL

HEAT-RESISTANT

PELAZA GRAY

30x60 Cm

Matt

Pelaza Gray Collection Tile 30x60 Cm

Pelaza Light

Pelaza Decor



Pelaza Dark



INDOOR AND OUTDOOR
UV STABLE – NO FADING

HIGH RESISTANCE
AGAINST SCRATCHES

ACID AND ALKALI
RESISTANT

NON-POROUS
AND STAIN RESISTANT



ANTIBACTERIAL



HEAT-RESISTANT

Data Information

CERTIFICATES

CERTROME CERTIFICATION SERVICES

Certrome Certification

Certificate No: CE-IR1086

CERTIFICATE OF CONFORMITY

Manufacturer	Name	Ceram Negar Co.
	Address	19th St., Kaveh Industrial City, Saveh, Iran
Relevant product(s) as described to the Technical Construction File No: TF9150013	Product(s) Name	Wall Tile and Floor Tile
	Model	-
Applicable Directive(s)		Regulation (EU) No 305/2011
Applicable Standard(s)		EN 14411:2012

This is to certify that, upon the relevant request of the above company,Certrome has received, archived and proceed to the fullness examination of the Technical Construction File of the above mentioned product(s).
The Technical Construction File has been archived at Certrome records with file no: TF9150013

Following the fullness examination of the Technical Construction File we confirm that it is adequate in respect with the basic health and safety prerequisites.

The manufacturer is obliged to issue a Declaration of Conformity according to the basic requirements of relative standards and places the CE marking with his own responsibility as follows:

CE

All modifications to the Technical File should be first submitted to Certrome to ensure further validity of this attestation.

Date of Issue: 8 Feb 2022
Certificate valid up to: 7 Feb 2025

Certrome
Certification Services

The authenticity of this certificate can be confirmed online or by e-mail to the Head Office via: info@certrome.com

---

QUALITY MANAGEMENT SYSTEM

BRS

This is to certify that
Ceram Negar Co.

19 th St, Kaveh Industrial City , Saveh, Iran

has been assessed and found in compliance with the requirements of international standard of Quality Management System

ISO 9001:2015
Registration Scope of Activities:

Production Of All Knid's Of Well and Floor Tile

Certificate Issue Date 15 Mar 2023 — First Issuance Date: 15 Mar 2023
This Certificate Expiry Date: 16 Mar 2024 — Annual Revalidation Period 00

This certificate will be valid for three years since last Issue date; If the system continuously assessment is approved by BRS LLC auditors (at least once a year) in the same 3-Years period (Re-certification date: 14 Mar 2026), and its will be approved by the standard requirements and the audited fundamentals.

BRS LLC has the right of ownership of this certification; therefore it is NOT transferable and remains the property of BRS LLC.

Certificate unique code: 40466233

This electronic certificate can be authenticated by contacting BRS LLC. By issuance of this certificate the organization will update and maintain its registration in accordance to current regulation through the application of the current version of ISO 9001

O.M.Sam, BRS LLC Managing Director

Further clarifications on the scope of this certification and the applicability of ISO 9001 for the purpose to regulatory obligations may be obtained through communication with BRS LLC. This registration is included in the BRS LLC Directory of Registered Organization and applies within the scope shown above. By issuance of this certification, the organization will update and maintain its registration in accordance with current revisions of standard through annual surveillance and regulatory purposes to the points of origin and commercialization.

Bulltek Registration Services LLC.
The certificate is issued at technical office: No. 308, Alvand Tower, Ebrahimi St., Marzdaran Blvd., Tehran, Iran
Head office: 11/4/8 Argishti St., Kentron 0015, Yerevan, Armenia
BRS LLC operates according to the BRS ROWO (Running Springs, California, USA) principles & policies

For more information about this document, please contact to technical.dept@brsllcglobal.com

F14-009/03

OCCUPATIONAL HEALTH and SAFETY MANAGEMENT SYSTEM

BRS

This is to certify that
Ceram Negar Co.

19 th St, Kaveh Industrial City , Saveh, Iran

has been assessed and found in compliance with the requirements of international standard of OHS Management System

ISO 45001:2018
Registration Scope of Activities:

Production Of All Knid's Of Well and Floor Tile

Certificate Issue Date: 15 Mar 2023 — First Issuance Date: 15 Mar 2023
This Certificate Expiry Date: 16 Mar 2024 — Annual Revalidation Period 00

This certificate will be valid for three years since last Issue date; If the system continuously assessment is approved by BRS LLC auditors (at least once a year) in the same 3-Years period (Re-certification date: 14 Mar 2026), and its will be approved by the standard requirements and the audited fundamentals.

BRS LLC has the right of ownership of this certification; therefore it is NOT transferable and remains the property of BRS LLC.

Certificate unique code: 40468237

This electronic certificate can be authenticated by contacting BRS LLC. By issuance of this certificate the organization will update and maintain its registration in accordance to current regulation through the application of the current version of ISO 45001:2018.

O.M.Sam, BRS LLC Managing Director

Further clarifications on the scope of this certification and the applicability of ISO 45001 for the purpose to safety considerations and regulatory obligations may be obtained through communication with BRS LLC. This registration is included in the BRS LLC Directory of Registered Organization and applies within the scope shown above. By issuance of this certification, the organization will update and maintain its registration in accordance with current revisions of standard through annual surveillance and regulatory purposes to the points of origin and commercialization.

Bulltek Registration Services LLC.
The certificate is issued at technical office: No. 308, Alvand Tower, Ebrahimi St., Marzdaran Blvd., Tehran, Iran
Head office: 11/4/8 Argishti St., Kentron 0015, Yerevan, Armenia
BRS LLC operates according to the BRS ROWO (Running Springs, California, USA) principles & policies

For more information about this certificate, please contact to: technical.dept@brsllcglobal.com

F14-009/03

ENVIRONMENTAL MANAGEMENT SYSTEM

BRS

This is to certify that
Ceram Negar Co.

19 th St, Kaveh Industrial City , Saveh, Iran

has been assessed and found in compliance with the requirements of international standard of Environmental Management System

ISO 14001:2015
Registration Scope of Activities:

Production Of All Knid's Of Well and Floor Tile

Certificate Issue Date: 15Mar 2023 — First Issuance Date: 15 Mar 2023
This Certificate Expiry Date: 16 Mar 2024 — Annual Revalidation Period 00

This certificate will be valid for three years since last Issue date; If the system continuously assessment is approved by BRS LLC auditors (at least once a year) in the same 3-Years period (Re-certification date: 14 Mar 2026), and its will be approved by the standard requirements and the audited fundamentals.

BRS LLC has the right of ownership of this certification; therefore it is NOT transferable and remains the property of BRS LLC.

Certificate unique code: 40467234

This electronic certificate can be authenticated by contacting BRS LLC. By issuance of this certificate the organization will update and maintain its registration in accordance to current regulation through the application of the current version of ISO 14001:2015.

O.M.Sam, BRS LLC Managing Director

Further clarifications on the scope of this certification and the applicability of ISO 14001 for the purpose to environmental considerations & regulatory obligations may be obtained through communication with BRS LLC. This registration is included in the BRS LLC Directory of Registered Organization and applies within the scope shown above. By issuance of this certification, the organization will update and maintain its registration in accordance with current revisions of standard through annual surveillance and regulatory purposes to the points of origin and commercialization.

Bulltek Registration Services LLC.
The certificate is issued at technical office: No. 308, Alvand Tower, Ebrahimi St., Marzdaran Blvd., Tehran, Iran
Head office: 11/4/8 Argishti St., Kentron 0015, Yerevan, Armenia
BRS LLC operates according to the BRS ROWO (Running Springs, California, USA) principles & policies

For more information about this certificate, please contact to: technical.dept@brsllcglobal.com

F14-009/03

TECHNICAL DATA

SIZE (cm)	Nominal Size (mm)	Working Size (mm)	Water Absorption Group	Tickness (mm)	Pieces Box	Sqm/Box	Kg/Box	Pack/Box	Boxes Pallet	Sqm/Pallet	Kg/Pallet	Pallet / Size	Pallet Height (cm)
60*60	600*600	600*600	BIIa	10	4	1.44	28	1	80	115.2	2,240	110*110	130
60*120	600*1200	600*1200	BIIa	11	2	1.44	35	1	68	97.92	2,380	110*110	130
100*100	1000*1000	1000*1000	BIIa	11	2	2	48.6	1	38	76	1,847	105*105	110
60*60 HT	600*600	600*600	BIIa	13	3	1.08	28	1	80	86.4	2,240	110*110	130
60*60 L	600*600	600*600	BIIa	9	4	1.44	26.6	1	80	115.2	2,128	110*110	130
30*60	300*600	300*600	BIII	8.6	9	1.62	24	2	72	116.64	1,728	115*115	102
30*90	300*900	300*900	BIII	9.5	5	1.35	24	2	60	81	1,440	95*115	102
40*120	400*1200	400*1200	BIII	10	4	1.92	40	1	56	107.52	2,240	115*115	130

	Properties	Iran Standard 25		Ceram Negar Standard
		Standard	Test Method	
Physical	Water Absorption	10< Eb <20%	INSO 9169-3	10< Eb <20%
	Modulus of Rupture and Breaking Strength (Flexi)	10 N/mm2	INSO 9169-4	15 N/mm2
	Thermal shock resistance	pass	ISO10545-9	pass
	Crazing Resistance For Glazed Tiles (Autoclave)	pass	INSO 9169-12	Ok
Chemical	Resistance to Stains	Min 3	INSO 6200	5
	Chemical Resistance of Glazed Tile	Min GA	ISO10545-13	GA
	Resistance Of Acid & Base (weak)	pass	ISO10545-13	GLA
Dimensions And Surface	Dimensions	±0.6%	INSO 9169-2	±0.05%
	Thickness	±5%	INSO 9169-2	± 3%
	Parallelism Sides	±1.5mm ± 0.5mm	INSO 9169-2	± 0.3% (1mm)
	Surface Flatness	±0.5mm ± 2mm	INSO 9169-2	± 0.5% (1.5mm)
	Orthogonality	±0.5mm ± 2mm	INSO 9169-2	± 0.3% (1.5mm)

TECHNICAL PACKAGING

	Properties	Iran Standard 25		Ceram Negar Standard
		Standard	Test Method	
Physical	Water Absorption	3< Eb <6%	INSO 9169-3	3< Eb <6%
	Modulus of Rupture and Breaking Strength (Flexi)	35 N/mm2	INSO 9169-4	40 N/mm2
	Frost Resistance	pass	INSO 9169-12	Ok
	Crazing Resistance For Glazed Tiles (Autoclave)	pass	INSO 9169-12	Ok
	Thermal shock resistance	pass	ISO10545-9	pass
	Resistance to Surface Abrasion for Glazed Tiles	The Abrasive Category Should be Ment ioned	INSO 9169-6	2
Chemical	Resistance to Stains	Min 3	INSO 6200	5
	Chemical Resistance of Glazed Tile	Min GB	ISO10545-13	GB
	Resistance Of Acid & Base (weak)	pass	ISO10545-13	GLB
Dimensions And Surface	Dimensions	±0.6%	INSO 9169-2	±0.05%
	Thickness	±5%	INSO 9169-2	± 3%
	Parallelism Sides	±1.5mm ± 0.5mm	INSO 9169-2	± 0.3% (1mm)
	Surface Flatness	±0.5mm ± 2mm	INSO 9169-2	± 0.5% (1.5mm)
	Orthogonality	±0.5mm ± 2mm	INSO 9169-2	± 0.3% (1.5mm)

CERAM NEGAR TILE

Head Office : Unit 1, No.10, Orfi Shirazi Alley, North Sheikh Bahaei St., Mollasadra, Tehran
Tel : (+98 21) 40 88 14 16-19
Zip Code: 1993644813

Factory : No.15,19 St, kaveh Industrial Zone, Saveh - IRAN
Tel : (+98 86) 423 45 454
Zip Code: 3914353558